

TOMASETTO ACHILLE

Model AT09 NORDIC

THE NEW LPG REDUCER NORDIC IS THE LAST EVOLUTION OF THE AT09 FAMILY IT HAS BEEN DESIGNED IN ORDER TO FURTHER IMPROVE ALASKA AND ARTIC MODELS. THANKS TO OUR 35 YEARS OF EXPERIENCE

BETTER PERFORMANCES

- ightarrow higher heating compared to previous Alaska and Artic reducers
- → higher supportable engine power up to 125 kW
- → less pressure increase at cut-off





NEW FEATURES

- \rightarrow Integral body
- ightarrow Complete separation of gas circuit and water circuit
- → Pre-heating of gas at reducer's inlet
- ightarrow Improved LPG circuit and deeper water circuit for better heat exchange
- → Improved water fitting fixing system
- → Possibility of higher or lower heating (with additional inserts)





TECHNICAL DATA

Material

Weight

Coil power

	MUDEL ATUY NUKDIC
Type of product	LPG sequential reducer

1.30 kg

Dimensions (mm) 125x125x105 mm 3 MPa (30 bar) Max inlet pressure

Outlet pressure * adjustable from 90 to 180 kPa 12 V DC Coil voltage

17 W Coil connection

M10x1 pipe ø 6 mm (M12x1 ø 8 mm upon request) Inlet Connection


Outlet connection Fixed fitting ø 12 mm Engine power up to 125 kW -20° C/+120° C Working temperature

Fast-on (amp on request)

Die cast aluminium body

* referred to the MAP







& MANUFACTURED



TOMASETTO ACHILLE SPA

Via del Progresso, 47/53 Castegnero (Vicenza) Italy Ph +39 0444 638326 Fax +39 0444 639367 info@tomasetto.com

Tomasetto Achille India Pvt Ltd.

B-11, Gala No. 5 & 6, Pritesh Complex, Anjur Phata Dapoda Road, 421302 Val Village, Bhiwandi, Thane - Maharashtra - India Ph. 0091 9272222501 info@tomasettoindia.com www.tomasettoindia.com

Tecnofabrica S.r.l

Rutherford 4749 Grand Bourg 1615 Tortuguitas Malvinas Argentinas Ph. 0054 11 21502540 info@tecnofabrica.com www.tecnofabrica.com